

CHAROONG THAI



THAI YAZAKI



PHELPS DODGE



BANGKOK CABLE



THW

450/750 V 70° C
60227 IEC 01
TIS 11-2553



Number of Cores จำนวนแกน	Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter) ราคา (บาท / เมตร)
1	1.5	8.20
1	2.5	12.10
1	4	18.70
1	6	30.00
1	10	49.30
1	16	76.50
1	25	120.00
1	35	170.50
1	50	229.20
1	70	327.70
1	95	451.50
1	120	572.00
1	150	700.00
1	185	879.00
1	240	1,153.00
1	300	1,445.00
1	400	1,850.00

** หมายเหตุ

- ตัวนำขนาด 1.5 - 4 ตร.มม. เป็นลวด Solid
- ตัวนำขนาด 6 - 400 ตร.มม. เป็นลวด Strand

NYY

450/750 V 70° C
TIS 11-2559 (1-4 CORES)



Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)			
	1 Core	2 Cores	3 Cores	4 Cores
1	22.50	45.09	51.03	58.10
1.5	25.00	50.46	57.59	66.40
2.5	29.20	60.31	70.57	82.50
4	39.40	85.33	101.51	122.08
6	58.80	117.98	146.30	178.17
10	70.50	166.35	213.41	270.87
16	98.80	233.66	310.93	405.25
25	144.60	342.91	474.36	608.70
35	196.00	454.33	640.97	884.77
50	259.70	630.30	874.70	1,115.00
70	352.80	891.00	1,183.70	1,550.00
95	474.00	1,200.00	1,656.90	2,155.00
120	608.00	1,490.00	2,092.00	2,726.00
150	746.00	1,830.00	2,546.00	3,338.00
185	928.00	2,288.00	3,170.00	4,189.00
240	1,209.00	2,992.00	4,145.00	5,519.00
300	1,507.00	3,724.00	5,136.00	6,850.00
400	1,928.00	-	-	-
500	2,527.00	-	-	-

** หมายเหตุ • ตัณำนำนาด 1 - 4 ตร.มม. เป็นลวด Solid • ตัณำนำนาด 6 - 500 ตร.มม. เป็นลวด Strand

NYY-G

450/750 V 70° C

TIS 11-2559 (2-4 CORES WITH GROUND)



Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)		
	2 Cores	3 Cores	4 Cores
1/1	51.03	58.10	82.56
1.5/1.5	57.59	66.40	93.32
2.5/2.5	70.57	82.50	128.88
4/4	101.51	122.08	190.29
6/6	146.30	178.17	277.89
10/10	213.41	270.87	423.39
16/16	328.25	425.25	645.65
25/16	450.74	574.00	890.90
35/16	607.03	840.15	1,284.00
50/25	873.98	1,095.00	1,655.00
70/35	1,151.62	1,530.78	2,290.00
95/50	1,600.06	2,109.53	3,155.00
120/70	2,013.00	2,688.11	3,935.00
150/95	2,486.14	3,277.72	4,840.00
185/95	3,034.00	4,097.51	6,015.00
240/120	3,946.00	5,401.11	7,850.00
300/150	4,927.94	6,689.92	9,785.00

**หมายเหตุ • ตัวนำขนาด 1/1 - 4/4 ตร.มม. เป็นลวด Solid • ตัวนำขนาด 6/6 - 300/150 ตร.มม. เป็นลวด Strand

VCT

450/750 V 70° C
TIS 11-2559 (2-4 CORES)



Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)		
	2 Cores	3 Cores	4 Cores
1	27.04	36.67	45.69
1.5	35.74	45.35	58.67
2.5	57.45	81.90	91.49
4	79.50	100.40	127.50
6	112.90	146.90	191.20
10	195.30	256.30	335.50
16	280.00	379.00	485.40
25	441.50	571.00	731.40
35	585.10	798.00	1,018.00

VCT-G

450/750 V 70° C

TIS 11-2559 (2-4 CORES WITH GROUND)



Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)		
	2 Cores	3 Cores	4 Cores
1/1	36.67	45.69	66.80
1.5/1.5	45.35	58.67	82.87
2.5/2.5	81.90	91.49	120.76
4/4	100.40	127.50	176.94
6/6	146.90	191.20	300.45
10/10	256.30	335.50	455.00
16/16	379.00	485.40	645.00
25/16	555.12	720.58	940.00
35/16	770.33	992.71	1,315.00


600 V CVV

600 V CVV (2-30 CORES)



Number of Cores จำนวนแกน	Price (Baht / Meter), ราคา (บาท / เมตร)				
	Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)				
	0.75 sq.mm	1 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm
2	34.30	36.50	40.30	54.50	74.80
3	38.10	41.90	49.30	68.80	94.30
4	47.80	49.40	59.80	85.30	125.60
5	58.30	65.00	76.20	109.20	152.50
7	68.80	78.50	94.30	137.80	198.90
9	91.30	106.20	129.40	183.80	263.20
10	98.70	114.40	140.40	201.80	290.00
12	109.90	128.60	158.50	233.20	342.20
14	121.80	140.50	176.40	261.60	386.10
16	130.80	153.90	195.00	292.50	445.90
19	148.70	175.80	224.50	341.90	517.40
21	167.70	198.90	250.90	379.60	572.00
24	185.90	219.70	280.80	439.40	647.40
27	206.70	239.20	312.40	484.40	722.20
30	221.00	261.30	341.90	531.70	795.60

600 V CVV-S



600 V CVV-S (2-30 CORES)

Number of Cores จำนวนแกน	Price (Baht / Meter), ราคา (บาท / เมตร)				
	Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)				
	0.75 sq.mm	1 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm
2	62.80	65.65	73.20	91.30	121.20
3	68.80	74.80	83.70	109.00	145.60
4	80.60	85.30	98.80	130.00	176.40
5	94.30	101.70	116.60	158.60	209.30
7	109.20	119.60	141.70	191.10	262.60
9	133.90	147.90	171.60	239.20	326.30
10	146.90	159.90	187.20	261.30	366.60
12	158.60	174.20	209.30	291.20	406.90
14	174.20	195.00	230.10	322.40	475.80
16	187.20	211.90	254.80	361.40	533.00
19	209.30	239.20	283.40	416.00	598.00
21	228.80	258.70	309.40	470.60	676.00
24	254.80	289.90	349.70	530.40	773.50
27	278.20	313.30	383.50	581.10	847.60
30	295.10	339.30	425.10	633.10	926.90

0.6/1 KV CV



0.6/1 KV CV XLPE/PVC
IEC 60502-1 (1-4 CORES)

Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)			
	1 Core	2 Cores	3 Cores	4 Cores
2.5	24.95	56.50	70.65	87.20
4	31.45	71.50	92.00	114.70
6	41.30	93.80	122.00	153.00
10	54.50	120.00	165.00	224.00
16	81.00	185.00	252.00	330.00
25	123.50	295.00	400.00	523.00
35	170.00	397.00	540.00	707.00
50	234.50	530.00	728.00	965.00
70	329.00	736.00	1,029.00	1,360.00
95	453.00	1,012.00	1,405.00	1,870.00
120	575.00	1,277.00	1,790.00	2,380.00
150	704.00	1,566.00	2,200.00	2,930.00
185	882.00	1,952.00	2,770.00	3,700.00
240	1,156.00	2,555.00	3,620.00	4,850.00
300	1,460.00	3,193.00	4,520.00	6,310.00
400	1,870.00	4,068.00	5,900.00	7,970.00
500	2,500.00	-	-	-
630	3,200.00	-	-	-
800	4,005.00	-	-	-
1,000	5,285.00	-	-	-


0.6/1 KV FR-CV



**0.6/1 KV XLPE/FR-PVC
IEC 60502-1 (1-4 CORES)**

Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)			
	1 Core	2 Cores	3 Cores	4 Cores
2.5	26.29	59.54	74.45	91.89
4	33.18	75.42	97.05	120.99
6	43.47	98.74	128.42	161.05
10	57.43	126.45	173.87	236.04
16	85.53	195.35	266.10	348.47
25	127.19	303.81	411.95	538.62
35	175.62	410.12	557.85	730.37
50	242.00	546.96	751.29	995.87
70	339.18	758.76	1,060.82	1,402.06
95	467.98	1,045.45	1,451.45	1,931.82
120	593.40	1,317.85	1,847.27	2,456.14
150	727.27	1,617.77	2,272.73	3,026.86
185	908.34	2,010.30	2,852.73	3,810.50
240	1,189.30	2,628.60	3,724.28	4,989.71
300	1,506.71	3,295.15	4,664.60	6,511.87
400	1,927.84	4,193.81	6,082.47	8,216.49
500	2,574.67	-	-	-
630	3,292.18	-	-	-
800	4,128.87	-	-	-
1,000	5,442.84	-	-	-

1.8/3 (3.6) KV CV 3.6/6 (7.2) KV CV 6/10 (12) KV CV



(1 CORE)



(3 CORES)


XLPE/PVC
POWER CABLE (CV)
IEC 60502-2

Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)					
	1.8/3 (3.6) KV		3.6/6 (7.2) KV		6/10 (12) KV	
	1 Core	3 Cores	1 Core	3 Cores	1 Core	3 Cores
10	126.70	336.60	159.00	498.00	-	-
16	161.00	443.50	198.00	608.00	246.00	762.00
25	210.00	592.70	245.00	766.00	296.00	929.00
35	257.40	740.50	299.00	927.00	351.00	1,102.00
50	320.80	955.70	365.00	1,156.00	423.00	1,334.00
70	425.00	1,268.00	465.00	1,468.00	528.00	1,676.00
95	553.00	1,669.00	591.00	1,873.00	659.00	2,102.00
120	686.00	2,075.00	718.00	2,276.00	789.00	2,501.00
150	826.00	2,514.00	866.00	2,685.00	927.00	2,915.00
185	1,012.00	3,094.00	1,057.00	3,218.00	1,119.00	3,545.00
240	1,298.00	3,970.00	1,359.00	4,118.00	1,428.70	4,503.00
300	1,598.00	4,904.00	1,672.00	5,060.00	1,747.00	5,490.00
400	2,004.00	6,152.00	2,097.00	6,466.00	2,187.00	6,847.00
500	2,535.00	-	2,653.00	-	-	-

8.7/15 (17.5) KV CV

12/20 (24) KV CV

18/30 (36) KV CV


(1 CORE)

(3 CORES)

XLPE/PVC
POWER CABLE (CV)
IEC 60502-2

Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter), ราคา (บาท / เมตร)					
	8.7/15 (17.5) KV		12/20 (24) KV		18/30 (36) KV	
	1 Core	3 Cores	1 Core	3 Cores	1 Core	3 Cores
25	338.00	1,079.00	-	-	-	-
35	397.00	1,258.00	438.00	1,408.00	602.00	1,981.00
50	467.00	1,512.00	515.00	1,652.00	633.00	2,097.00
70	577.00	1,847.00	620.00	1,996.00	746.00	2,504.00
95	711.00	2,271.00	757.00	2,474.00	889.00	2,952.00
120	844.00	2,795.00	896.00	2,898.00	1,026.00	3,410.00
150	977.00	3,166.00	1,028.00	3,331.00	1,174.00	3,856.00
185	1,164.00	3,715.00	1,209.00	3,938.00	1,362.00	4,438.00
240	1,478.00	4,649.00	1,515.00	5,051.00	1,656.00	5,573.00
300	1,797.00	5,747.00	1,843.00	5,957.00	1,953.00	6,648.00
400	2,241.00	7,000.00	2,287.00	7,224.00	2,410.00	7,961.00

THW-A


THW-A 750 V 70°C
TIS 293-2541 TABLE 1




Number of Cores จำนวนแกน	Cross Sectional Area (sq.mm) ขนาดพื้นที่หน้าตัด (ตร.มม.)	Price (Baht / Meter) ราคา (บาท / เมตร)
1	10	9.08
1	16	12.32
1	25	18.17
1	35	23.48
1	50	31.64
1	70	49.66
1	95	64.88
1	120	79.33
1	150	96.46
1	185	120.06
1	240	157.03
1	300	192.08


CABLE TYPE : CTW-SAC 25 kV

25 kV ALUMINUM STRANDED CONDUCTOR CROSS-LINKED POLYETHYLENE INSULATED AND SHEATHED SPACED AERIAL CABLE


CABLE TYPE : CTW-SAC 35 kV

35 kV ALUMINUM STRANDED CONDUCTOR CROSS-LINKED POLYETHYLENE INSULATED AND SHEATHED SPACED AERIAL CABLE



CROSS-LINKED POLYETHYLENE INSULATED AND SHEATHED SPACED AERIAL CABLE

CROSS SECTIONAL AREA(SQ.MM.) ขนาด พื้นที่หน้าตัด(ตร.มม.)	Price(Baht/Meter) ราคา(บาท/เมตร)	
	CTW-SAC 25 KV	CTW-SAC 35 KV
35	130.00	140.50
50	136.25	163.25
70	179.75	185.63
95	201.63	205.75
120	237.75	241.00
185	274.75	302.63
240	333.88	366.00




CABLE TYPE : CTW-FRC - SL 600 S

SINGLE-CORE COPPER XLPO INSULATED NON-SHEATHED



CABLE TYPE : CTW-FLC/LSHF - SL 600 S

SINGLE-CORE COPPER CONDUCTOR CROSS-LINKED INSULATED NON-SHEATHED



FIRE RESISTANT CABLES สายทนไฟ

CROSS SECTIONAL AREA(SQ.MM.) ขนาด พื้นที่หน้าตัด (ตร.มม.)	Price(Baht/Meter) ราคา(บาท/เมตร)	
	FRC - SL 600 S	FLC/LSHF - SL 600 S
1.5	41.00	41.00
2.5	48.00	48.00
4	62.00	62.00
6	81.00	81.00
10	112.00	112.00
16	152.00	152.00
25	218.00	218.00
35	286.00	286.00
50	389.00	389.00
70	521.00	521.00
95	716.00	716.00
120	862.00	862.00
150	1,055.00	1,055.00
185	1,296.00	1,296.00
240	1,665.00	1,665.00
300	2,059.00	2,059.00
400	-	-
500	-	-
630	-	-
800	-	-
1000	-	-